
Chapter 2

Login and Transaction Authorization

2-1 Login

2-2 Transaction Authorization

2-2-1 Transaction Authorization with OTP Token

2-1 Login

Refer to "Quick Reference (Login, Security)" for the details of login. Access the below mentioned URL > Customer Support > COMSUITE Portal > Quick Reference (Login, Security).

<https://ebusiness.bk.mufg.jp/login/>

2-2 Transaction Authorization

This transaction authorization operation also applies to other services such as GCMS Plus. Please note that some payment menu in GCMS Plus require 2 factor authentication with OTP Token and login password.

2-2-1 Transaction Authorization with OTP Token

Approval page

1. Confirm the contents before approving.



When rejecting the application instead of approving it, click on [Reject] button without entering Transaction Authorization Code.




2. Press [3] button of the OTP Token.



If you are using a mobile OTP token, the OTP token will be displayed in the smartphone app. Tap the displayed button.


3. Enter the 6 digits Challenge Code displayed on the screen to the token, and then press [OK] button of the token.




4. Enter the displayed number to [Transaction Authorization Code] field on the screen.
5. Click on [Approve] button.



6. If a confirmation dialog is displayed, confirm the approval confirmation message and click on [OK] button.



If no number or a wrong number is entered in the Transaction Authorization Code field, a confirmation dialog will be displayed. In this case, click on [OK] button and redo the procedure from step 4.



Result page

7. Confirm the results.

**End of Transaction Authorization
with OTP Token**